



CATIA V5 Training
Foils

CATIA V5 Automation

Version 5 Release 19
January 2009
EDU_CAT_EN_VBA_AI_V5R19

Copyright DASSAULT SYSTEMES

Instructor Notes:

About this course

Objectives of the course

Upon completion of this course, you will be able to create automation scripts, programs, and macros in CATIA V5, using Visual Basic and other automation tools available in CATIA V5.

Targeted audience

Application developers

Prerequisites

Students attending this course should have knowledge of CATIA V5 Interactive and Visual Basic



Instructor Notes:

Table of Contents (1/5)

◆ Introduction to CATIA V5 Automation	8
◆ CATIA V5 Automation & Scripting: Presentation	9
◆ Knowledgware, VB Automation, and CAA	10
◆ Skills Required for CATIA V5 Automation	11
◆ CATIA V5 Automation: Presentation (Windows only)	12
◆ Language Used for Automation	13
◆ VB Script	14
◆ VBA	16
◆ Visual Basic	17
◆ Communication Chart on Windows	18
◆ Documentations	19
◆ Interface Documentation	20
◆ CATIA V5 Association with File Extension	22
◆ CATIA V5 OLE (Object Linking and Embedding)	23
◆ CATIA V5 Scripting Capabilities	24
◆ In-Process Marcos	25
◆ What is an 'In-Process' Macro	26
◆ CATIA V5 Visual Basic Editor	27

Copyright DASSAULT SYSTEMES

Instructor Notes:

Table of Contents (2/5)

◆ Macro Libraries	28
◆ Recording a Macro	29
◆ Running a Macro	30
◆ Execution of a Macro from another Macro	32
◆ Execution of a Macro which Require Parameters	33
◆ Adding a Macro as a command in a Toolbar	34
◆ Macros Options Interface	35
◆ Recap Exercise: Recording a Macro	36
◆ Recap Exercise: Recording of Creation of a Washer	37
◆ Out-Process Programs	38
◆ Running Out-Process Programs (On Windows only)	39
◆ Running Out-Process from VBA or Visual Basic	40
◆ Example: Bolt from Excel	43
◆ Running Out-Process using the Windows Scripting Host	46
◆ VBScript under Windows Scripting Host	47
◆ BoltVBSript.vbs Example	48
◆ JavaScript under Windows Scripting Host	49
◆ BoltJavaScript.js Example	50

Copyright DASSAULT SYSTEMES

Instructor Notes:

Table of Contents (3/5)

◆	Out-Process in HTML (Windows & Microsoft IE Only)	51
◆	Out-Process in HTML with VBScript	52
◆	Out-Process in HTML with JavaScript	53
■	VBA / VB Programming Basics	54
◆	Programming Generalities	55
◆	VBA / VB Common Controls	60
◆	VB Programming Techniques	73
◆	Recap Exercise: My First VBA Project	80
◆	Recap Exercise: Using standard VBA / VB Controls	81
■	Scripting with CATIA V5	82
◆	CATIA V5 Object Architecture	83
◆	Scripting Infrastructure Features	100
◆	Scripting Sketches	110
◆	Scripting Part Design Features	114
◆	Scripting Shape Design Features	118
◆	Scripting Assembly Design Features	122
◆	Scripting Drafting Features	128
■	Accessing Elements	133

Copyright DASSAULT SYSTEMES

Instructor Notes:

Table of Contents (4/5)

- ◆ Automatic Selections 134
- ◆ Scanning the Containers 135
- ◆ Access to a Specific Element 136
- ◆ Graphic Selections 137
- ◆ Graphic Selection using 'Selection' 138
- ◆ Graphic Selections using SelectElement2 140
- ◆ Creating Panels from Macros 141
- ◆ Input box 142
- ◆ Panels in an ActiveX component (Windows Only) 143
- ◆ Miscellaneous Information 144
- ◆ Recap Exercise: Testing Selections using Scripts 148
- ◆ Recap Exercise: Macro to select elements 149
- ◆ **Obfuscating and Converting Macros 150**
 - ◆ Obfuscate VBScript Macros 151
 - ◆ Multi-Product Support 155
 - ◆ Registering CATIA and Type Libraries 157
 - ◆ Converting a Macro to a Visual Basic Program 158
 - ◆ Converting a Visual Basic programm to a CATIA Macro 159

Copyright DASSAULT SYSTEMES

Instructor Notes:

Table of Contents (5/5)

◆	Macros on UNIX / Windows	160
■	Calling an other Automation Server	161
◆	Calling WSH from VBScript	162
◆	Calling Excel	164
◆	Drawing a Chart in EXCEL	165
■	Master Exercise: Crankshaft	167
■	Added Exercises	168
◆	Added Exercise: Decoding 3D Features	169
◆	Added Exercise: Easy Chess	170
◆	Added Exercise: InOut BOM	171
◆	Added Exercise: Insert Bolt	172
◆	Added Exercise: Printing Drawing Sheets	173
◆	Added Exercise: Test Tolerances	174

Copyright DASSAULT SYSTEMES

Instructor Notes:

Introduction to CATIA V5 Automation

You will be introduced to various tools and capabilities related to CATIA V5 Automation.

The screenshot displays the CATIA V5 Automation documentation website. On the left is a vertical navigation menu with categories: Infrastructure, Mechanical Design, Shape Design & Styling, Analysis, and Equipment & Systems Engineering. A green arrow points from this menu towards the main content area. The main content area features a 3D diagram of the CAA V5 Automation architecture, showing components like Knowledge, Product, Process, Materials, and RADE. A red circle highlights the 'Automation Documentation Home Page' icon in the top navigation bar. On the right, a sidebar titled 'Automation' contains sections for 'Technical Articles' (with links for What's New, Part Document Automation Objects, Sketch Automation Objects, and Geometric Elements Automation Objects), 'Use Cases', and 'Quick Reference' (with links for Mechanical Modeler Reference and Sketcher Reference). The footer of the screenshot includes the text 'Copyright DASSAULT SYSTEMES'.

Instructor Notes:



CATIA V5 Automation & Scripting: Presentation

- On both Windows and UNIX
 - ◆ The scripting allows you to program CATIA in a very simple way with macros on both Windows and UNIX platforms.
 - ◆ CATIA uses the common part on MS-VBScript to have the same macros running on both the platforms.

- On Windows platforms
 - ◆ Automation allows CATIA to share objects with other external applications such as Word/Excel or Visual Basic programs.
 - ◆ CATIA can use the Word/Excel objects as well as Word/Excel can use the CATIA Objects.

Copyright DASSAULT SYSTEMES

Instructor Notes:



Knowledgware, VB Automation, and CAA

- VB Automation
- Knowledgware
 - ◆ Needs CATIA licenses
 - ◆ Low interaction with final user (no window interface)
 - ◆ Based on geometry
 - ◆ May be integrated to VB Automation
- CAA V5
 - ◆ Need licenses
 - ◆ High skills in programming (C++)
 - ◆ Usually for specific-domain solution

Copyright DASSAULT SYSTEMES

Instructor Notes:



Skills Required for CATIA V5 Automation

- **VBA (Visual Basic for Applications) or Visual Basic 6 basics**
 - ◆ **Basic language**
 - ◆ **Object programming**
 - ◆ **Event programming**

- **Knowledge of the CATIA workbench in which you are going to program**
 - ◆ **Infrastructure**
 - ◆ **Surfaces**
 - ◆ **Analysis etc.**


Copyright DASSAULT SYSTEMES

Instructor Notes:



CATIA V5 Automation: Presentation (Windows only)

Automation allows communication between several process.



- COM (Component Object Model) is the “Microsoft” standard to share objects between several applications.
- Automation is a “Microsoft” technology to use COM objects in an interpreted environment.
- ActiveX component is a “Microsoft” standard to share objects between several applications even in an interpreted environment.
- OLE (Object Linking and Embedding) means that the document can be linked in the document of an other application OLE and can be edited in that other application (In place editing).

Copyright DASSAULT SYSTEMES

Instructor Notes:



Language Used for Automation

- Three possible languages:
 - ◆ Visual Basic 6
 - ◆ VBA
 - ◆ VB Script / CATScript

Copyright DASSAULT SYSTEMES

Instructor Notes:



VB Script (1/2)

- VBScript (Visual Basic Script) is a subset of VBA. It is a simple interpreted Basic language
- ☺
 - ◆ Only Windows/Unix « compatible » language
 - ◆ Can call CATIA Objects
 - ◆ Directly launchable from a saved macro
- ☹
 - ◆ Weak help to programming
 - ◆ Very 'light' internal editor
 - ◆ No type is used. The system tries dynamically to call methods and properties of objects.
 - ◆ Sequential programming
 - ◆ Poor User Interface tools

Copyright DASSAULT SYSTEMES



Instructor Notes:



VB Script (2/2)

■ **Poor User Interface : Examples**

- ◆ **Message box**
- ◆ **Input box**
- ◆ **File Selection Box**
- ◆ **No more ...**



Copyright DASSAULT SYSTEMES

Instructor Notes:



VBA

VBA (Visual Basic for Applications) is a subset of Visual Basic. VBA is hosted in applications such as Word, Excel or CATIA.

- ☺
 - ◆ Programming help
 - ◆ « Event » Programming
 - ◆ CATIA drive from another VBA application (Excel, Word ...)
 - ◆ Rich User Interface (buttons, lists, ...)

- ☹
 - ◆ Weak protection
 - ◆ Not easy to export program
 - ◆ No « InstallShield » tool



Copyright DASSAULT SYSTEMES

Instructor Notes:



Visual Basic


- Visual Basic is the full version
- ☺
 - All the advantages of VBA + ...
 - ◆ More extended set of instructions
 - ◆ Code protection (compiled program)
 - ◆ Can create ActiveX and Servers
 - ◆ provides an added documentation called “Books on line” (VB 5.0)
 - ◆ Packaging and deployment assistant
- ☹
 - ◆ Needs an additional installation
 - ◆ Microsoft licensed software

Copyright DASSAULT SYSTEMES

Instructor Notes:



Communication Chart on Windows



Instructor Notes:



Documentations

Automation Documentation Home Page

- Infrastructure
- Mechanical Design
- Shape Design & Styling
- Analysis
- Equipment & Systems Engineering

Journaling guides for each workbenches

- Architecture
- Concepts, rules, samples ...

Understand

Automation Documentation Home Page - Micro

Automation

Technical Articles

- What's New
- Part Document Automation Objects
- Sketch Automation Objects
- Geometric Elements Automation Objects

Use Cases

Quick Reference

- Mechanical Modeler Reference
- Sketcher Reference

Copyright DASSAULT SYSTEMES

Instructor Notes:



Interface Documentation (1/2)

Public Interfaces



Automation Documentation Home Page - Microsoft Internet Explorer provided by Dassault

Part Document Automation Objects

PartDocument

- Part
 - OriginElements
 - PlaneXY—Plane
 - PlaneYZ—Plane
 - PlaneZX—Plane
 - AxisSystems
 - AxisSystem
 - GeometricElements
 - GeometricElement
 - Bodies
 - Body
 - Sketches
 - Sketch
 - Shapes
 - Shape
 - Boundary
 - HybridBodies
 - HybridBodies
 - HybridBody
 - HybridShapes
 - HybridShape
 - Boundary
 - Sketches
 - Sketch
 - GeometricElements
 - GeometricElement
 - Bodies
 - Body
 - HybridBodies
 - Constraints
 - Constraint
 - Relations
 - Relation
 - Parameters
 - Parameter

Automation Documentation Home Page - Microsoft Internet Explorer provided

Property Index

AbsoluteAxis
Returns the 2D absolute axis of the sketch.

CenterLine
Returns the geometric 2D line defined as the center line of the sketch.

Constraints
Returns the list of constraints included in the sketch.

Factory2D
Returns the 2D factory of the sketch.

GeometricElements
Returns the list of geometrical elements included in the sketch.

Method Index

CloseEdition
Closes the Sketch Edition.

Evaluate
Evaluate the constraint system of the sketch

GetAbsoluteAxisData
Returns the sketch axis coordinates in 3D space.

InverseOrientation
Inverse Orientation Of Sketch

OpenEdition
Opens the Sketch Edition.

SetAbsoluteAxisData
Sets the absolute axis of the sketch in 3D space.

Copyright DASSAULT SYSTEMES

Instructor Notes:



Interface Documentation (2/2)

Additional Information

- ◆ The documentation is also available in the CATIA code installation directory. Look for ...Bxx\intel_a\code\bin\V5Automation.chm and create a shortcut on your Desktop.
- ◆ In the documentation, you will find helpful 'Use cases'.


Copyright DASSAULT SYSTEMES

Instructor Notes:



CATIA V5 Association with File Extension

A double-click in Windows Explorer on a ".CATPart" file opens it in CATIA V5. On Windows, If CATIA V5 is not running, it is launched automatically.



In the Windows Explorer, the "Details" section shows a preview for all CATIA Documents.

Copyright DASSAULT SYSTEMES

Instructor Notes:



CATIA V5 OLE (Object Linking and Embedding)

Drag and Drop in an OLE container

A double-click on the picture lets you edit the bolt in CATIA V5

Copyright DASSAULT SYSTEMES

Instructor Notes:



CATIA V5 Scripting Capabilities

IN process application:

This is done from the Tools + Macro in CATIA menu. When the Macro is running, CATIA is deactivated. You cannot store variables in a macro between two calls. Access with VBScript (Microsoft) and VBA on Windows, and with VBScript (Winsoft) on Unix.

OUT process application (Windows only)

This is based on AUTOMATION. A foreign process can call CATIA, create or modify geometry, decode, measure or pilot CATIA. CATIA is still running. For each action of the application, we have to check if CATIA is in the good state to synchronize the two processes. This kind of applications can be developed in:

Visual Basic

Windows Scripting Host (VBScript , JScript)

Windows Explorer HTML (VBScript , JScript)

or Any other COM applications.


Copyright DASSAULT SYSTEMES

Instructor Notes:



In-Process Macros

You will learn how to record and run the In-Process macros.




Copyright DASSAULT SYSTEMES

Instructor Notes:



What is an 'In-Process' Macro

We call In-process because the script interpretation is performed in the same process as CATIA.



A list shows the Macro available. We can run, edit, rename or delete existing script, or create a new one.

The list of libraries of script proposed into the panel above is modifiable through the window of libraries.


Copyright DASSAULT SYSTEMES

Instructor Notes:



CATIA V5 Visual Basic Editor

With CATIA Visual Basic Editor, We can edit existing macro or create a new one, Insert graphic form, debug and Run VBA project.




Instructor Notes:



Macro Libraries

The interface of the dialog “Tools + Macro + Macros...” allows to choose a library of macro (a directory of macro or a VBA project) or a document on which we wish to work.



From this window, we can close an already opened library, open a library, or create a library. Libraries are shown by type (directory, VBA project...).

Every type of library supports different languages. VBA supports only the language MS-VBA, while in a directory we can write in MS-VBScript or in CATScript.

Copyright DASSAULT SYSTEMES


Instructor Notes:



Recording a Macro

The panel of recording VBA allows to choose the container in which we are going to record, the used language and the name of the macro to be recorded.

The syntax of the recorded script is going to differ according to the menu chosen.



Recording a Macro generates a script corresponding to the creation or modification of the objects in the recorded sequence. After stopping the recording, we can store, edit or replay this script (called macro).

As a rule, recording a macro helps you to learn how to program something.

Copyright DASSAULT SYSTEMES

Instructor Notes:



Running a Macro (1/2)

- You can execute a macro as soon as CATIA is started :

```
CNEXT -macro E:\Users\Macros\MacroToRun.CATScript
```

- You can start CATIA in batch mode to execute a macro

```
CNEXT -batch -macro E:\Users\Macros\MacroToRun.CATScript
```

- You can run a macro interactively from the “Macro” menu
- You can run a macro interactively from an icon in a toolbar

Copyright DASSAULT SYSTEMES

Instructor Notes:



Running a Macro (2/2)

The syntax to execute macros in text files using the CNEXT -macro command line, has been expanded to allow replaying macro which are in VBA projects, in V5 documents, and are written in VBScript, CATScript or VBA.

Here is a complete summary of the Supported Syntax:

◆ Previously available options:

- CNEXT -macro X.CATScript // Replays file X.CATScript (CATScript file)
- CNEXT -macro X.catvbs // Replays file X.catvbs (pure VBScript file)

◆ New options:

- CNEXT -macro X.catvba Y // Replays macro Y in the VBA project X.catvba
- CNEXT -macro X.CATPart Y // Replays macro Y in the V5 document X.CATPart

Copyright DASSAULT SYSTEMES

Instructor Notes:



Execution of a Macro from another Macro

CATIA V5 offer the capability through an Automation function to execute a Macro from another Macro. The function lets the user invoke another scripted function, contained in another macro library, potentially written in another scripting language. A support enum CATSysLibraryType is used to let the developer describe the kind of library the function to call is contained in.

(Example from VBScript)

- To call an Add function that is defined in a “E:\Macros\Math” directory library, in a file “IntegerMath.catvbs”, one would write:

```
Dim args2(1)
args2(0) = 3
args2(1) = 2
Dim addResult
addResult = CATIA.SystemService.ExecuteScript ( "E:\Macros\Math",
catScriptLibraryTypeDirectory, "IntegerMath.catvbs", "Add", args2 )
MsgBox addResult
```

- To call an PrintReport() sub that is defined in a “E:\Parts\Part1.CATPart” V5 document library, in a file “Statistics.catvbs”, one would write:

```
Dim args()
CATIA.SystemService.ExecuteScript "E:\Parts\Part1.CATPart", catScriptLibraryTypeDocument,
"Statistics.catvbs", "PrintReport", args
```

Copyright DASSAULT SYSTEMES

Instructor Notes:



Execution of a Macro which Require Parameters


CATIA V5 gives the possibility to add parameters to the CATMain function.

When the function is executed, an interactive window pops up which lets the user value the parameters by selecting V5 objects or typing the values directly. Parameters of type string, int, float, boolean and object can be entered.

If the user writes the following VBScript macro:

```
Sub CATMain(sketch, height)
  Set partDocument1 = CATIA.ActiveDocument
  Set part1 = partDocument1.Part
  Set shapeFactory1 = part1.ShapeFactory
  Set pad1 = shapeFactory1.AddNewPad(sketch, height)
  part1.Update
End Sub
```

and runs it, the following window pop up automatically to let him/her enter the value of the sketch and height parameters.




Copyright DASSAULT SYSTEMES

Instructor Notes:



Adding a Macro as a command in a Toolbar

- Select the macro you want to add in Tools + Customize + Commands Tab page + Macros:
- Drag and Drop the macro name to the toolbar you wish :
- To select another icon than the default one, click on Show Properties...




Copyright DASSAULT SYSTEMES

Instructor Notes:



Macros Options Interface

The panel of the dialog “Tools + Options + Macros” allows to choose according to the language, the Editor who will be launched to edit a macro, and to specify external typelibs to take into account in the replay of scripts.



With the new interface, all the typelibs V5 of the runtime view are automatically taken into account. This option serves only for declaring typelibs except runtime view (Excel for example).

Copyright DASSAULT SYSTEMES

Instructor Notes:



Recording a Macro



Recap Exercise



In this step you will record the creation of a pad (cylinder).

Then, we will modify the resulting macro to create several cylinders in the same time.

For this exercise, be careful to record the macro in “one shot”. If you make any mistakes, they will be recorded in the macro. (except if the mistakes are undone using the Undo icon)



Instructor Notes:


Recording of Creation of a Washer

Recap Exercise



In this step you will record the creation of a washer.

Then, we will modify the resulting macro to ask user for entering the external and internal diameters.




Copyright DASSAULT SYSTEMES

Instructor Notes:

Out-Process Programs

You will learn methods to create and execute Out-Process programs for CATIA V5 Automation.



Instructor Notes:



Running Out-Process Programs (On Windows only)

The script is running in another application running in another process, such as:

Visual Basic

VBA (in Excel or Word)

Using WSH (Windows Scripting Host) with VBScript or JavaScript

Using HTML with VBScript or JavaScript

CATIA can be scripted from any other COM Application.

Copyright DASSAULT SYSTEMES

Instructor Notes:




Running Out-Process from VBA or Visual Basic (1/3)

VBA and Visual Basic provide useful tools :

For this, you can declare all the typelib files (*.tlb) provided by Dassault Systemes.

The typelib files contain the declarations of all the objects, methods and properties of the Exposed objects.




Copyright DASSAULT SYSTEMES

Instructor Notes:



Running Out-Process from VBA or Visual Basic (2/3)

- Type definition allows type checking and “early binding”.
- Helpful completion gives you all the properties and methods of an object and gives you the argument types of a method.
- Browser Object describes all the exported objects.



Copyright DASSAULT SYSTEMES

Instructor Notes:



Running Out-Process from VBA or Visual Basic (3/3)

Here are the statements to launch CATIA V5 from VBA or Visual Basic.

If CATIA is already running :

```
[...]  
Dim CATIA as Object  
Set CATIA = GetObject(, "CATIA.Application")  
[...]
```

First arg. is left blank

If CATIA is not already running :

```
[...]  
Dim CATIA as Object  
Set CATIA = CreateObject("CATIA.Application")  
CATIA.Visible = True  
[...]
```

This macro starts CATIA

Copyright DASSAULT SYSTEMES

If the typelib INFITF.tlb is referenced, we can declare CATIA as INFITF.Application.

Instructor Notes:



Example: Bolt from Excel (1/3)

1
Start a New Excel Document and activate the toolbars: Forms and Visual Basic.

2
Activate the Design mode.

3
Create a new Button and click on "New" button to "Assign Macro".

Copyright DASSAULT SYSTEMES

Instructor Notes:



Example: Bolt from Excel (2/3)

1
 You go automatically in Visual Basic.
 Insert the Code from the file "BoltFromExcel.txt"

2
 Close Visual Basic and return to Excel.
 Click on Button1
 CATIA will be launched and a bolt will be created.

Copyright DASSAULT SYSTEMES

Instructor Notes:



Example: Bolt from Excel (3/3)

Have a look on the code:

This tries to retrieve CATIA and if not successful starts it.

```
Dim CATIA As Object
'Get CATIA or start it if necessary.
On Error Resume Next
Set CATIA = GetObject("CATIA.Application")
If Err.Number <> 0 Then
    Set CATIA = CreateObject("CATIA.Application")
    CATIA.Visible = True
End If
On Error GoTo 0
```

Both functions `GetObject` and `CreateObject` are provided by VBA (as well as Visual Basic).

Copyright DASSAULT SYSTEMES

Instructor Notes:



Running Out-Process using the Windows Scripting Host


WSH enables scripts written in different languages such as VBScript and JavaScript.

You can use a standard Editor to write your application. If your program fails, you will be able to use the Windows Development environment.

It is possible to develop an application in Visual Basic, then put the types in comment and run it with WSH.

To run a VBScript (*.vbs) or JavaScript (*.js) file, you can use cscript or wscript commands.

Usually, wscript.exe is already associated with those extensions.



Copyright DASSAULT SYSTEMES

Instructor Notes:



VBScript under Windows Scripting Host

You can write a VBScript program in a simple ASCII text file with the extension “.vbs” for Visual Basic Script.

Under WSH, GetObject and CreateObject are provided by the object Wscript.

The following code launches CATIA V5.

```
On Error Resume Next
Set CATIA = Wscript.GetObject(,"CATIA.Application")
If Err.Number <> 0 Then
    Set CATIA = Wscript.CreateObject("CATIA.Application")
    CATIA.Visible = True
End If
```

VBScript !

Copyright DASSAULT SYSTEMES

Instructor Notes:





BoltVBSript.vbs Example

Have a look on the source code.

To run the “BoltVBScript.vbs” example , you can double–click on it.

To run the example on a Command prompt Window you can also use :

Cscript BoltVBScript.vbs
Or wscript BoltVBScript.vbs



Copyright DASSAULT SYSTEMES

Instructor Notes:



JavaScript under Windows Scripting Host

In the same way as VBScript, you can write a JavaScript program in a simple ASCII text file with the extension “.js” for JavaScript.

Under WSH, GetObject and CreateObject are provided by the object Wscript.

The following code launches CATIA V5.

```
CATIA = WScript.GetObject("CATIA.Application");  
if ( CATIA == null) {  
    CATIA = WScript.CreateObject("CATIA.Application");  
    CATIA.Visible = true;  
}
```

Java Script !

Copyright DASSAULT SYSTEMES

Instructor Notes:





BoltJavaScript.js Example

Have a look on the source code.

To run the “BoltJavaScript.js” example, you can double-click on it.

To run the example on a Command prompt Window you can also use :

Cscript BoltJavaScript.js
Or wscript BoltJavaScript.js



Copyright DASSAULT SYSTEMES

Instructor Notes:





Out-Process in HTML (Windows & Microsoft IE Only)

In HTML, you can include VBScript or JavaScript routines.

Microsoft explorer provides ActiveXObject (in JavaScript) and CreateObject (in VBScript) functions to Launch Automation Servers.

So, it is possible to call CATIA V5 this way. You can access to the Microsoft Development Environment to debug your Application. You can launch the “Microsoft Development Environment from Explorer by : “Script Debugger” “ Open”





Instructor Notes:



Out-Process in HTML with VBScript

Load the “BoltVBScript.html” example in Microsoft Internet Explorer. You will be able to Click on the “Bolt” button to create a Bolt in CATIA V5.
 You can view the source code by <View>+<Source> menus.



Copyright DASSAULT SYSTEMES


Due to security reasons, some warning messages for running the script, may appear depending on the configuration and if the server is local or not.

Instructor Notes:



Out-Process in HTML with JavaScript

Load the “BoltJavaScript.html” example in Microsoft Internet Explorer. You will be able to Click on the “Bolt” button to create a Bolt in CATIA V5.
 You can view the source code by <View>+<Source> menus.




Copyright DASSAULT SYSTEMES

Instructor Notes:



VBA / VB Programming Basics

You will be introduced to the Visual Basic and Visual Basic for Automation programming techniques.



Copyright DASSAULT SYSTEMES

Instructor Notes:



Programming Generalities (1/5)

Sequential Programming

- ◆ The program is read from top to bottom, sometimes with loops and tests.
 - 12 : If A=0 then GOTO 67
- ◆ User interface (windows, buttons, ...) has to be « manually » built, with programming instructions
- ◆ Typical of « old » programming languages
 - Fortran, Basic, GWBasic
- ◆ VBScript may be considered as a sequential language

```

Éditeur de Macros - [C:\DOCUME~1\Warc...
Fichier  Edition  Affichage  Aide
Language="VBSCRIPT"
Sub CATMain()
  rep="C:\temp\"
  CATIA.DisplayFile      False
  For i=1 to 30
  Set documents1 = Documents
  Set partDocument1 = documents1.Add("Part")
  Set partDocument1 = CATIA.ActiveDocument
  partDocument1.Save rep & "Part" & i & ".CATPart"
  Set specsAndGeom1 = w1 = CATIA.ActiveWindow
  specsAndGeom1.Close
  Set partDocument1 = CATIA.ActiveDocument
  partDocument1.Save
  next i
End Sub
Ligne : 24, Colonne : 21
    
```


Copyright DASSAULT SYSTEMES

Instructor Notes:



Programming Generalities (2/5)

- Event-driven Programming
 - ◆ The program execution will depend of events (mouse click on a button, typing characters in a text form...)
 - ◆ Graphic interface is drawn using a toolbox. This interface is the program «skeleton»
 - ◆ Nowadays programming languages are event-based
 - VBA, Visual Basic, Visual C++ ...



Instructor Notes:



Programming Generalities (3/5)

- Object Programming
 - ◆ In the application, all is Object
 - ◆ These Objects have Properties that you can read or set
 - ◆ These Objects have Methods which will modify their behavior
 - ◆ An example ...

Copyright DASSAULT SYSTEMES

Instructor Notes:



Programming Generalities (4/5)

- An example : Bernard owns a garage in Suresnes ...
- As we have to work with its garage, we need to assign it to a «type», and a «variable name» :
 - ◆ Dim myGarage As Garage
 - ◆ set myGarage = Bernard.Garage
- To get its address (Property of myGarage Object), I can get this :
 - ◆ myGarage.Address
- Bernard has a Collection of cars
To get one special car :
 - ◆ Set myCar = myGarage.Cars.Item(2)
 - ◆ Set myCar = myGarage.Cars.Item('Golf_2')

Copyright DASSAULT SYSTEMES



Instructor Notes:



Programming Generalities (5/5)

- To select a fuel, I get a Property :
 - ◆ myCar.Fuel = 'Petrol'

- If I do not remember its colour :
 - ◆ Colour = myCar.Colour

- To accelerate, I have a method which has the speed I want to reach (the speed is an argument) :
 - ◆ myCar.Accelerate (110)

- The same method may return an object or an information (here the fuel consumption) :
 - ◆ myConsumption = myCar.Accelerate (110)

Copyright DASSAULT SYSTEMES



Instructor Notes:



VBA / VB Common Controls

You will learn the user-interface related controls of Visual Basic and Visual Basic for Application.



Copyright DASSAULT SYSTEMES


Instructor Notes:

The « userform » Control

Icon :-

Interest :

- ◆ It is your window, on which you are going to insert controls



Useful Properties / Methods

- ◆ `frmForm.Caption` to inform the title
- ◆ `frmForm.StartUpPosition` to control its position

- ◆ `UserForm_Initialize()` is read when project is run (VBA)
- ◆ `UserForm_Load()` is read when project is run (VB)

Instructor Notes:

The « label » Control

- Icon : 
- Interest :
 - ◆ The text label allows you to display a text that cannot be modified by user



- Useful Properties / Methods
 - ◆ `IblText.Caption` to control the text
 - ◆ `IblText.Font` to control its font
 - ◆ `IblText.Autosize` to control its dimensions
 - ◆ `IblText.TextAlign` to control its alignment

Instructor Notes:

The « textbox » Control


- Icon : 
- Interest :
 - ◆ The textbox allows user to enter a text



- Useful Properties / Methods
 - ◆ `txtBox.Text` to get the text
 - ◆ `txtBox.Font` to control its font

Instructor Notes:

The « commandbutton » Control

- Icon :** 

- Interest :**
 - The command button allows user to run an action by selecting a button**

- Useful properties / methods**
 - cmdButton.Caption** to control the button text



Copyright DASSAULT SYSTEMES

Instructor Notes:

The « image » Control

Icon : 

Interest :

- ◆ The image control allows you to display a bitmap image



Useful properties / Methods

- ◆ `imgImage.Picture` to select the image to display
- ◆ `imgImage.Autosize` to resize it automatically

Instructor Notes:

The « listbox » Control

Icon : 

Interest :

- ◆ The listbox control allows you to display a list, from which an element can be selected



Useful Properties / Methods

- ◆ IstBox.AddItem "Text" to add an item
- ◆ IstBox.Clear to clear the list
- ◆ IstBox.RemoveItem (IstBox.ListIndex) to remove an item
- ◆ IstBox.ListCount to get the item count
- ◆ IstBox.Text to get the selected item
- ◆ IstBox.List(i) to get item #i

Copyright DASSAULT SYSTEMES

Instructor Notes:

The «checkbox» and «optionbutton» Controls

Icons :



Interest :

- ◆ The checkbox allows the user to pick an option. The optionbutton allows the user to pick only one among a set of options.



Useful Properties / Methods

- ◆ `chkBox.Caption` to control the text
- ◆ `IstBox.Value` to get its value (true/false)

Copyright DASSAULT SYSTEMES

Instructor Notes:

Managing Data/Variables (1/3)

- Naming variables
 - ◆ It must be less than 255 characters
 - ◆ Special characters are forbidden : space ' ' & ...
 - ◆ It must not begin with a number
 - 'myCar' and 'intRadius3' are ok
 - 'my Car' and '2Radius' are not ok

- Declaring variables with "Dim" is helpful for programming (it allows 'completion'), and saves memory at running
 - Dim myCar as String
 - Dim myCar\$
 - Dim A1 as Integer
 - Dim A1%

Instructor Notes:

Managing Data/Variables (2/3)

▣ Main types of Data

Type	Non/Numeric	Range	Decl. Suffix
Boolean	Non-numeric	True or False	
Integer	Numeric	-32768 to 32767	%
Long	Numeric	-2 147 483 648 to 2 147 483 648 (integer)	&
Double	Numeric	-1.79769313486232e+308 to -4.94065645841247E-324 for '-' values 4.94065645841247E-324 to 1.79769313486232e+308 for '+' values	#
String	Non-numeric	Variable	\$
Variant	both	-	

Copyright DASSAULT SYSTEMES

Instructor Notes:

Managing Data/Variables (3/3)

- **Initializing Variables**
 - ◆ **Variable = expression**
 - ◆ **Set variable = expression**
 - (you need set if 'variable' is an object)
 - ◆ **Examples**
 - **A = 150**
 - **myCar = "Scenic"**
 - **A = B + 100**
 - **A = A + 100**
 - **Set myObject = CATIA.ActiveDocument**

Instructor Notes:

Standard VBA/VB window: « msgbox »

☐ Syntax #1

- ◆ msgbox message
- ◆ To display a single message (or variable)
 - example :
 - msgbox "This is a message"



☐ Syntax #2

- ◆ value = msgbox (message,[param.],[Title])
- ◆ To ask a question, and get the result
 - example :
 - a1=msgBox("Are you sure?",vbOKCancel+vbCritical,"Question")




Instructor Notes:

Standard VBA/VB window: « inputbox »

■ Syntax

- ◆ Value = Inputbox (message,title,def. val.)
- ◆ To ask a question, and get an information (text or value)
 - Example :
 - Width = InputBox("Enter the width :", "Part creation", 200)



Copyright DASSAULT SYSTEMES

Instructor Notes:

VB Programming Techniques

You will learn Visual Basic Programming Techniques which are required for CATIA V5 Automation and Scripting.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Testing with 'If ... then ... else ... End if'

▣ Syntax #1

- ◆ If (condition is true) Then

...
End If

- Example

```
If Int_Diam >= Ext_Diam Then  
msgbox "Wrong values"  
End If
```

▣ Syntax #2

- ◆ If (condition is true) Then

...
Else
...
End If

Instructor Notes:

Testing with 'Select Case'

■ Syntax

- ◆ Select Case variable
 - Case value1 (or expression1)
 - ...
 - Case value2 (or expression2)
 - ...
 - ...
 - End Select

- Example :
 - Select myResult.Text
 - Case "A"
 - lblResult.Caption = "xxx"

 - Case "B"
 - lblResult.Caption = "yyy"
 - End Select

Instructor Notes:

Loops with 'For... Next and Do'...Loop

Syntax

- ◆ For i = x To y [Step z]

...

Next [i]

- Example :
For incr = 0 to 10
msgbox "Increment is " + incr
Next

Syntax

- ◆ Do While (condition is true)

...

Loop

- Example :
Do While i <10
lblOut.Caption=i
i=i+1
Next

Instructor Notes:

Working with Strings of Characters

- A fixed string has to be surrounded by "
- To concatenate strings : « + » or « & »
 - Txt = "Hello, my name is " + myName
- To get a part of a string
 - ◆ left(str,nb) , right(str,nb), mid(str,pos,nb)
 - left(txt,5) (returns « Hello »)
- To get the length of a string
 - ◆ len(str)
- To know if a string contains another, and its position
 - ◆ Instr()
- To convert numeric to string, and reverse
 - ◆ str(num), val(str)

Instructor Notes:

Working with text files (Open Mode)

- To open a file and read its content
 - ◆ Open "filename" For Input As #id
 - To open the file
 - ◆ Line Input #id string
 - To read a line
 - ◆ Close #id
 - To close the file
 - Example :
Open "C:\temp\test.txt" For Input As #1
While Not EOF(1)
Line Input #1, line
msgbox line
Wend
Close #1

Instructor Notes:

Working with text files (Write Mode)

- To open a new file and write
 - ◆ Open "filename" For Output As #id
 - To open the file
 - ◆ Print #id ,string
 - To write a line
 - ◆ Close #id
 - To close the file
 - Example :
Open "C:\temp\testw.txt" For Output As #2
For i = 1 to 100
Print #2, i
Next
Close #2

Copyright DASSAULT SYSTEMES


Instructor Notes:

My First VBA Project

Recap Exercise



In this exercise you will create a VBA project, including a label and two command buttons.



Copyright DASSAULT SYSTEMES


Instructor Notes:

Using standard VBA / VB Controls

Recap Exercise



In this exercise, you will create a VBA project, including a label and two command buttons.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting with CATIA V5

In this lesson you will learn various CATIA V5 scripting techniques. You will also see some examples of scripting with some CATIA Features.




Copyright DASSAULT SYSTEMES

Instructor Notes:

CATIA V5 Object Architecture

In this lesson, you will learn the Object Architecture and methodologies required for scripting with CATIA V5.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Introduction to objects

Architecture of the Exposed Objects

CATIA V5 exposes models to create documents, parts, surfaces, wireframes, products, drawings and many other objects available in the CATIA workbenches.

Those exposed objects provide properties and methods to read and modify all existing objects.

All exposed objects seen in interactive, can be scripted from macros or from out-process programs.

Table of contents

- ◆ About Objects, Properties and Methods
- ◆ About Inheritance and Aggregation
- ◆ Objects diagrams

Instructor Notes:

About Objects, Collections, Properties, and Methods

Scripting languages such as Visual Basic rely on objects. With CATIA, documents, windows, viewers, parts, sketches, pads, ... even lines and curves are represented as objects in Visual Basic.

■ **Object:** an entity.

Ex: Document, Pad, Line, ...

■ **Property:** a characteristic of an object.

DocName = CATIA.ActiveDocument.FullName

■ **Method:** an action on an object

CATIA.ActiveDocument.SaveAs "MyNewName"

■ **Collection:** a list of objects.

The CATIA collections index begins at 1, and not 0 :

```
For i=1 to CATIA.Documents.Count  
msgbox CATIA.Documents.Item(i).Name  
Next
```

We can also access a collection with the name of the object:

Example: msgbox CATIA.Documents.Item("Product1.CATProduct").Name

We add objects to the collections with the method add :

```
set myPartDoc = CATIA.Documents.add("Part")
```


Instructor Notes:

About Inheritance and Aggregation

- There are two kinds of relations between objects :
 - ◆ Inheritance helps you to specialize objects while gathering common properties and methods
 - ◆ Aggregation is the ability of an object to contain another one

In the following diagram, the Application aggregates the Documents collection.

The PartDocument object is a specialized document that is dedicated to parts and which inherits the properties and the methods of the Document object.



UML Notation


Copyright DASSAULT SYSTEMES

Instructor Notes:

Object Diagrams

To describe object, their properties and methods, and the relationships between objects we use object diagrams and object descriptions.


Object diagrams describes the overall structure of how objects are linked together:



Instructor Notes:

Analysis Object Model

- Manage Analysis documents
- Manage linked documents
- Create AnalysisSet, AnalysisEntity ...
- Integrated with Knowledgeware.
- Extract visualization Images
- Launch Computation




Copyright DASSAULT SYSTEMES

Instructor Notes:

Machining Object Model

- Full read/write access to Machining Objects
 - ◆ Manufacturing Activities
 - ◆ Manufacturing Resources
 - ◆ Manufacturing View, Manufacturing Features
- Manufacturing Activities creation in connexion with Knowledgeware



Copyright DASSAULT SYSTEMES

Instructor Notes:

Programming Method

- Some tips about Sub and Function
- About the use of “Set” and “Call”
- About SafeArray variant
- Resolution of object

Copyright DASSAULT SYSTEMES

Instructor Notes:

Some Tips about Sub and Function

- A method exposed by an objects is called by Visual Basic:
 - ◆ A Sub if it does not return any value
 - ◆ A Function if it does

To pass arguments to a Sub with Visual Basic Script, do not use parentheses:

```
Object.Sub arg1, arg2, arg3
```

But use parentheses with a Function:

```
Dim ReturnedObject As AnyObject  
Set ReturnedObject = Object.Function (arg1, arg2, arg3)
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

About the use of “Set”

- In Visual Basic, we use *Set* keyword to assign an object to a variable.

```
Dim myDocument As PartDocument  
Set myDocument = CATIA.ActiveDocument
```

- We do not use *Set* in two cases:

- ◆ If we do not assign an object to a variable but to an object property:

```
MyViewer3D.ViewPoint3D = MyCamera3D.ViewPoint3D
```

- ◆ If we use a variable of intrinsic type:

```
Dim myString As String  
mystring= "directory"
```

Instructor Notes:

About the use of “Call”

In Visual Basic, a method can be a function or a subroutine.
A function returns something:

```
Set myReturnedObject = myObj.Function1(arg1,arg2)  
or  
myReturnedValue = myObj.Function2(arg1,arg2)
```

A Subroutine returns nothing. Two syntaxes are possible:

```
Call myObj.Subroutine1(arg1,arg2)  
or  
myObj.Subroutine1 arg1,arg2
```



If a subroutine has arguments, it is better to use the first syntax for readable reasons.

Instructor Notes:

About SafeArray Variant (1/2)

Many methods return an array of values instead of a single value.

In this case, you should use SafeArray of Variant.

A SafeArray is an Array declared with the “ReDim” instruction (instead of Dim):

- Use ReDim functions to declare and assign a size to an array:

```
ReDim MyArray(2) ☞ Declare a SafeArray and set a size
```

- A SafeArray Variant begins at 0:

```
MyArray(0) = 200 ☞ Set the value of the first element to 200
```

- When you don't know the size of an array, use the Ubound property

```
HighestRank = MyArray.UBound ☞ returns 2 in our example
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

About SafeArray Variant (2/2)

Many methods need an array of values as argument instead of a single value.
In this case, you should use an untyped intermediary variable.

```
Dim MyFactory As Factory2D
Set MyFactory = mySketch.OpenEdition()

ReDim MyArray(3)
Dim MySpline1 As Spline2D

Dim myFactory2  ☞ untyped intermediary variable
Set myFactory2 = MyFactory

Set MySpline1 = myFactory2.CreateSpline(MyArray)
```

Instructor Notes:

Resolution of Object References (1/2)

When writing a script, one of the questions the developer frequently asks himself is: how do I programmatically retrieve the object I am interested to work with ?
 It is now possible to select interactively the object from VBA or the V5 script editor and have to sequence of instruction to resolve the object directly inserted into the editor.

Object resolution in VBA



```

Dim partDocument1 As PartDocument
Set partDocument1 = documents1.Add("Part")
|
'---- Begin resolution script for object : Part1

Dim partDocument1 As PartDocument
Set partDocument1 = CATIA.ActiveDocument

Dim part1 As Part
Set part1 = partDocument1.Part

'---- End resolution script


Dim part1 As Part
Set part1 = partDocument1.Part
    
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Resolution of Object References (2/2)

Object resolution with the V5 Script Editor



Copyright DASSAULT SYSTEMES


Instructor Notes:

Object Browser Help (1/2)

- It can be found in the internal VBScript editor and in the VBA/VB editor



- It describes all objects/methods



Copyright DASSAULT SYSTEMES


Instructor Notes:

Object Browser Help (2/2)

The Method that you are looking for.

The Method is member of a Class.

The Method has some arguments and returns an Object.



```
Dim MyFactory As Factory2D
...
Dim MyLine As Line2D
Set MyLine = MyFactory.CreateLine(10#, 10#, 10#, 30#)
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Infrastructure Features

You will learn scripting of Infrastructure Features.

Dim Doc as Document

Set Doc = CATIA.Documents.Add("Part") *↪ create a PartDocument*

Dim Doc as Document

Set Doc = CATIA.Documents.Open("E:\Parts\DocumentToOpen.CATPart")



To close the active document : CATIA.ActiveDocument.Close

To close a Document assigned to a Doc variable : Doc.Close

To close a Document assigned to a name :

CATIA.Documents.Item("TheName").Close

To save the active document : CATIA.ActiveDocument.Save

To save a Document assigned to a Doc variable : Doc.Save

To save a Document assigned to a name :

CATIA.Documents.Item("TheName").Save

Instructor Notes:

Scripting Infrastructure Features Overview

Documents and Windows

The CATIA Application object aggregates two main collection objects: Documents and Windows.

The Documents collection aggregates any number of Document(s) since the multiplicity is set to *. The Document object is an abstract object, and only its derived type can actually be created, that is the PartDocument, ProductDocument and DrawingDocument.


The Windows collection aggregates number of Window(s), which themselves aggregate one Viewers collection which aggregates any number of Viewer(s). The binary association between the Window and the Document objects means that the Document object is the parent of the Window object.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Infrastructure Object Architecture

These objects are shared by all CATIA products. The root object is the Application, which aggregates or includes Documents and Windows.



Copyright DASSAULT SYSTEMES

Instructor Notes:


Application and Document

Application is the Root object for all CATIA macros. This correspond to the CATIA frame window. The CATIA application is always named CATIA for in-process macro.

The Documents collection provide a method to Add a new document and another to Open an existing document.

A Document can be a PartDocument, ProductDocument or a DrawingDocument.

Each Document provide its own methods to Save or SaveAs itself.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Creating and Opening a Document

Creating a New Document:

Dim Doc as Document

Set Doc = CATIA.Documents.Add("Part") *• create a PartDocument*



Instead of "Part", Use "Product" for a Product Document or "Drawing" for a Drawing Document

Opening a New Document:

Dim Doc as Document

Set Doc = CATIA.Documents.Open("E:\Parts\DocumentToOpen.CATPart")



Both Add and Open functions add the Document in the Documents Collection

Copyright DASSAULT SYSTEMES

Instructor Notes:

Closing and Saving a Document

Closing a Document:

To close the active document : `CATIA.ActiveDocument.Close`

To close a Document assigned to a Doc variable : `Doc.Close`

To close a Document assigned to a name :

`CATIA.Documents.Item("TheName").Close`



The Close function removes the Document from the Documents Collection

Saving a Document:

To save the active document : `CATIA.ActiveDocument.Save`

To save a Document assigned to a Doc variable : `Doc.Save`

To save a Document assigned to a name :

`CATIA.Documents.Item("TheName").Save`


Instructor Notes:

Windows Collection

The Windows collection gathers Window objects that make the link with the windowing system and display documents in a viewable form, mainly in 3D or 2D modes, or as a specification tree.

A Viewers collection enables the window to display the application data in the appropriate modes.


A SpecsAndGeomWindow object features altogether a 2D or a 3D viewer and a specification tree viewer.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Viewers and Viewpoints



A Viewer is used to display a document according to a given viewpoint and display options.


Depending on the document type, the following viewers can be found in a window.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Cameras

A Camera is the persistent form of a viewpoint. You can create a camera from the current viewpoint using the NewCamera method of the Viewer object.



A created camera can then be assigned to a viewer to make its own viewpoint change to this camera.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Modifying View point of a Document

Recap Exercise




In this Exercise you will :

- Open an existing Document
- Scan all the cameras already defined in the Document
- Choose a camera and apply it in the current viewer.
- Save and close the document

Instructor Notes:

Scripting Sketches

You will learn scripting of Sketches.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Sketches Overview



Bodies and HybridBodies Collections

In the “part” of a PartDocument, there are 2 collections:

- Bodies aggregate all the solid features
- HybridBodies aggregate all the surfaces, wireframe and 3D points (called OpenBody in interactive)

Two different containers for sketches

Sketches can be created in both Bodies and HybridBodies collections.



The Factory2D contains methods to create geometry in the GeometricElements collection.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Sketch Geometries

Opening and Closing a Sketch.

To create 2d elements in a sketch, we have to open it and get the factory2d using:

```
set myFactory2D = mySketch.OpenEdition
```

A Sketch has its own Factory2D to create all 2D objects available in it.

When you have finished to create geometry, you must close the sketch using
`mySketch.CloseEdition`

Creating and Editing Geometry

Generally we have only one simple constructor for each element type, for example:

To create a circle, we have:

```
Function CreateClosedCircle(iCenterX As Double, iCenterY As Double, iRadius As Double) As Circle2D
```

If you want the circle centre to be an existing point, you can modify it with the "CenterPoint" property.

Easy methods to create Constraints

The Constraints collection allows you to add constraints between 2D elements.

Recording a sketch creation in a macro

You have to exit the sketch before stopping the record.

Copyright DASSAULT SYSTEMES

Instructor Notes:


Scripting 2d Sketch with Constraints

Recap Exercise



In this Exercise you will:

- Create a sketch
- Create Points, Lines and Spline
- Create a constraint between two lines




Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Part Design Features


You will learn scripting of 'Part Design Features'



Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Part Design Features Overview



Scripting Part Design features means to create shapes in the bodies of a PartDocument.

Getting or creating a Part Document

Use `ActiveDocument` or `Documents.Item("Part1.CATPart")` or `Documents.Add("Part")`

Getting or creating a "PartBody"

When we create a `PartDocument`, a `PartBody` is created automatically.

We can get it using:

Set `MyBody = MyDocument.Part.Bodies.Item("PartBody")`

Or we can add a new `PartBody` using:

Set `MyNewBody = MyDocument.Part.Bodies.Add()`

Instructor Notes:

Scripting Functions for Part Design Features

The ShapeFactory

The ShapeFactory object is in the Part.

It allows you to create Pads, Shafts, Grooves, Holes, etc in the “active” Body.

You can redefine the “active” body using the InWorkObject property.

Boolean Operations

If you need to make a boolean operation with another Body, you can add a new body with:

`MyDocument.Part.Bodies.Add`

Then call `AddNewAdd`, `AddNewIntersect`, `AddNewTrim` or `AddNewRemove` method.

References

Some functions need references to objects instead of the object itself. References are used to bind an object to another.

You can use:

`Dim myRef as Reference`

`Set myRef = Part.CreateReferenceFromGeometry(myGeometry)` to create a reference on myGeometry object.

Copyright DASSAULT SYSTEMES

Instructor Notes:


Scripting Part Design Features

Recap Exercise



In this Exercise you will create:

- A square in a sketch and create a pad from it.
- A circle in an other sketch and create a pocket from it.




Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Shape Design Features


You will learn scripting of Shape Design Features



Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Shape Design Features Overview



Scripting Shape Design features means to create HybridShapes in the HybridBodies of a PartDocument.

Why Hybrid ?

In Generative Shape Design, some elements are called “hybrid” because they can be surfaces, lines or points.

The HybridBody is called OpenBody in interactive.

Creating an HybridBody.

When we create a PartDocument in Shape Design, an HybridBody is created automatically.

If we are in a Part Design context, no Open_Body is created.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Functions for Shape Design features

The HybridShapeFactory

The HybridShapeFactory is in the Part object.

It allows you to create in the “active” HybridBody” 3D points, 3D lines, surfaces such as extrusions, sweeps, etc.

You can redefine the “active” HybridBody using the InWorkObject property.

AppendHybridShape

To make your 3D lines or shapes visible, you have to use the AppendHybridShape method onto the HybridBody.

Instructor Notes:


Scripting 3d Wireframes and Surfaces

Recap Exercise



In this Exercise you will :

- Create two 3D Splines.
- Create a sweep from those Splines.
- Project a point on the surface.




Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Assembly Design Features

You will learn scripting of Assembly Design Features.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Assembly Design – Object Model

Each Product contains a Products Collection

Each product of this collection can itself include a collection of products, and so forth. This defines a tree structure.


The RootProduct

The ProductDocument object aggregates a product tree structure starting with a single product, named the Root Product, that includes a collection of products.

Positioning the Sub-Assemblies

Each product has a position defined by a 3D matrix relatively to the position of its father.
Move.Apply allows a relative move.

Geometric constraints (coincidence, contact, etc) can be applied between product components.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Assembly Design - Definitions

Definitions

ReferenceProduct : Each product owns a ReferenceProduct that can be another Product or the hidden Product of an other document.(for example a PartDocument).
(eg: a wheel).

Component : Is an instance of a ReferenceProduct, (eg: the front wheel of car). A component owns its own characteristics related to how it is integrated in the assembly
(for example: its relative location).

Product.PartNumber : The name of the Reference.

Product.Name : Name of the Instance.

Instructor Notes:

Functions for Scripting Assembly Design Features (1/2)

Adding Products

- **Product collections can be built with following methods:**
 - ◆ **AddNewProduct("PartNumber")**
Creates both a Reference Product to the product and a component in the Product Document
 - ◆ **AddNewComponent("DocumentType", "PartNumber")**
Creates both a Reference Product to the product and a component in the Product Document. The Reference Product is a new document
 - ◆ **AddComponent(ReferenceProduct)**
Creates a product component from a Reference Product already existing in the Product Document
 - ◆ **AddExternalComponent(ProductDocument)**
Creates a product component from a product reference already existing as root product of another Product Document
 - ◆ **AddComponentsFromFiles("Document"(), "DocumentType")**
Creates a product component using an external file.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Functions for Scripting Assembly Design Features (2/2)

Master Shape Representation

Each product can have a different Master Shape Representation that defines its geometry, material properties and used to display or print it

This representation is shared by all the components pointing to this product reference. It can be a :

- CATIA V4 model
- CATIA V5 Part
- VRML File
- or whatever format supported by CATIA V5

Bill Of Material

We can generate a Bill Of Material directly in a text or HTML file using the ExtractBOM method.

Instantiating a Product

To instantiate a product, you have to use AddComponent() using the ReferenceProduct of the existing product as argument.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Titanic

Recap Exercise




In this Exercise you will:

- Create a Product Document.
Create an assembly with a Castle and a Funnel and instantiate it three times at three different positions.
Generate automatically the Bill Of Material of the product.

For this programming task, you will use three CATPart files:

- Hull.CATPart
- Castle.CATPart
- Funnel.CATPart

Open Assembly.vbp from the zip file you have downloaded.




Copyright DASSAULT SYSTEMES

Instructor Notes:

Scripting Drafting Features

You will learn scripting of Drafting Features.



Copyright DASSAULT SYSTEMES


Instructor Notes:

Scripting Drafting Features Overview

Drafting features regroup all the 2D features.
 Generative Drafting represent 3D objects in the drawing and Interactive Drafting represent 2D features directly created in the 2D views.

DrawingSheets and DrawingViews

The DrawingDocument object aggregate a DrawingSheets collection.
 Each DrawingSheet of this collection aggregates a DrawingViews collection.



Copyright DASSAULT SYSTEMES

Main View and Background View.

A drawing contains at least 2 views: The background view and the Main View that is the view in which you can draw just after creating a drawing.

Instructor Notes:

Function for Scripting Drafting Features (1/2)

The ActiveSheet

The active sheet can be found in the DrawingSheets collection

The ActiveView

The active view can be found in the DrawingViews collection

The Front View and the Others

A DrawingView can be the “Front View” or an other view relatively to the “Front View”.

DrawingViewGenerativeBehavior can define both behaviour:

DefineFrontView() defines the “Front View” and its direction.

DefineProjectionView() defines an other view relatively to the “Front View”

Other methods allow to create other types of views such as Section Views, Detail Views, etc.

Instructor Notes:

Function for Scripting Drafting Features (2/2)

Generative Views

DrawingView owns a “Document” property that allows you to specify the associated 3D document from which the “generative view” is created.

Interactive Views

DrawingView owns a “Factory2D” property that allows you to create 2D features. This kind of view is called an “Interactive View”.

Filling the Title block

The Texts collection allows you to create 2D texts in the drawing

Extract Dimensions

A DrawingSheet has the method called GenerateDimension() that generates dimensions automatically in all the views from the 3D geometry.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Drafting a Bolt using Script


Recap Exercise



In this exercise you will:

- Open an existing Drawing Document with its Title Block
- Create 2 views: A Front view and a Top view.
- Insert the bolt in the views
- Create a circle in each view.

The empty drawing and the bolt are in “\Student\Data\Scripting_with_CATIA_V5\7 Drafting the bolt” folder.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Accessing Elements

You will learn methods of accessing the geometric elements using scripts.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Automatic Selections

Sometimes, graphic selections are not necessary and we just want to get all objects of a certain type using some selection filters.

We can do that just by scanning the containers and testing some criteria

We can scan for instance:

- All the documents or a specific document.
- All the sketches or a specific sketch
- All the geometric elements of a sketch
- All the Shapes
- All the HybridShapes

Instructor Notes:

Scanning the Containers

We can scan all the collections with a simple loop

For i = 1 to myDocuments.Count

... myDocuments.Item(i)...

Next

Every container like Documents, Shapes, HybridShapes, Sketches, GeometricElements, Texts (in a drawing) ... can be scanned like this.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Access to a Specific Element

Access in a collection with the name.

We can access to a specific element of a collection by its name.

... Documents.item("ItsName") ...

Or it can be the Father of an element that we know.

myElem.Parent.Parent... ' We can get all its parents until CATIA.Application.

For example, if you have a 2D point in a sketch:

Point2D.Parent is the GeometricElements Collection

Point2D.Parent.Parent is the sketcher

Access with Selection.Search()

We can access to a specific element using Search() of the "Selection" object.

The results will be added to the selected objects.

We can use Selection.FindObject() to scan the results.

Instructor Notes:

Graphic Selections

Macros and Out-Process applications need a service so that the user can make Graphic selections.

There are two ways to make graphic selections.

1. We can selected the object before entering the macro (or program).
2. We can call a function inside a macro (or program) to ask for an acquisition.

Instructor Notes:

Graphic Selection using “Selection” (1/2)

- We can read the **selection** Object but the geometric element must be selected before starting the command.



In application like Word or Excel, the selections always precede the commands.

- ◆ If we don't care about the order of the selected elements, the user can make only one selection.
Then we can call **FindObject** several times for each type of object.
- ◆ If we care about the order of the selected elements with the same type, we must call several **FindObject** with the same type to get the first element then the others...
We will ask for several acquisitions.

Instructor Notes:

Graphic Selections using “Selection” (2/2)

We can scan this object using `FindObject()` function as follow. You can loop until the selection is empty.

```
Do
  Set xObj = xSel.FindObject(MyType)
  If (Err.Number <> 0) Then
    Err.Clear
    Exit Do
  Else
    ... xObj is selected
  End If
Loop
```

Limitations :

All the objects must be selected before calling the macro (or an out-process function).

Instructor Notes:

Graphic Selections using SelectElement2

During a program, we can call the **SelectElement2** method to ask to the user for elements of different types.

SelectElement2(iFilterType() As Variant, iMessage As String, iInterwindowSelection As Boolean) As String

- We can ask for several types (Multi-Type)
- We can loop on this method to get several elements (Multi-Selection)

It will create a specific list of selected elements (different than the selected elements accessible with **FindObject()** in the standard Selection)

To read this list, you can use **Selection.Count** and **Selection.Item(I)**.

This is an example which asks the user to select a circle or a face in the current window:

```
Dim InputObjectType(1)
InputObjectType(0)="HybridShapeCircle"
InputObjectType(1)="Face"
Status= CATIA.ActiveDocument.Selection.SelectElement2(InputObjectType, "Select a circle or a face",
True)
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Creating Panels from Macros

With Out-Process, we can use an external user interface depending of the context. It can be Visual Basic, HTML or something else.

The problem appears for In-Process macros. We can use:

- A. Very simple panels with "InputBox" and "MsgBox" functions
- B. More complex panels creating an ActiveX using Visual Basic.

Instructor Notes:

Input box

InputDialog function allows the user to enter a numeric or an alphanumeric value in a simple panel.

Limitations:

- Only one value at a time.
- You need as many InputBox as parameters you want to get.
- You have to force the order of acquisition and to manage the Escape button in your macro.

```
Language="VBSCRIPT"
Sub CATMain()
' Ask for a name and rename the current Window
resu = InputBox("Enter the new name of the active window", "Acquisition Using InputBox", "MyWindow")
if resu <> "" then
  On Error Resume Next
  Set MyWin = CATIA.ActiveWindow
  If MyWin Is Nothing Then
    MsgBox "No Active Window"
  else
    MyWin.Caption=resu
  End If
End If
End Sub
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Panels in an ActiveX component (Windows Only)

An other solution is to create panels in an ActiveX component.

An ActiveX can be called from a CATIA Macro.

This ActiveX can display panels.

The Macro calls a method which displays the panel and waits for the end of the acquisition. The method returns a status and the parameter values.



- a) The ActiveX can get the CATIA session and call CATIA objects.
We can, by this way, display or compute intermediate results or we can reuse a selection for several actions.
- b) Several panels of your application(s) can be gathered in one ActiveX component
- c) For a large user application, an out-process model is recommended

Instructor Notes:

Miscellaneous Information (1/4)

About Numbers, Literals, and Units

Numerical values stored in internally system units. Nevertheless, the user interface can be set to display and get values from the end user according to another unit system which better matches its needs or habits.

All the objects that inherit of 'Dimension' such as Length, are called "Literal".

On these objects, you can use:

- ValueAsString to read a system value within the user system coordinates.
- ValuateFromString allows the value stored in your object to be valuated using a user unit.

```
Call MyFaceFillet.Radius.ValuateFromString("5.08mm")  
Call MyHole.Diameter.ValuateFromString("2in")
```

Instructor Notes:

Miscellaneous Information (2/4)

Resizing CATIA Window

```
CATIA.Width = 500
CATIA.Height = 400
CATIA.Left = 150
CATIA.Top = 50
```

- ☞ Dimensions in pixels.
- ☞ The position of a Window is determined by the position of its top left corner.

Opening and printing a Document on the Default Printer

```
Dim Doc as Document
Set Doc = CATIA.Documents.Open("E:\Parts\PartToPrint.CATPart")
CATIA.ActiveWindow.PrintOut ☞ Print the Document
CATIA.ActiveDocument.Close ☞ Close the Document
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Miscellaneous Information (3/4)

Opening and Converting a Document in VRML

```
Dim Doc as Document
Set Doc = CATIA.Documents.Open("E:\Parts\PartToConvert.CATPart")
Call Doc.ExportData("E:\DocName", "wrl")
```

Scripting Knowledgeware Features

It is possible to create:

Parameters

Rules

Check

Design Tables and Select Configurations

Instructor Notes:

Miscellaneous Information (4/4)

Measures

The measures are provided by the “Analyze” object of a Product.
We have to create a product

How to measure the Centre of Gravity

Analyze.GetGravityCenter() method get the coordinates of the gravity centre.


How to measure the Mass

Analyze.Mass return the Mass of the Product

Instructor Notes:

Testing Selections using Scripts


Recap Exercise



30 min

In this exercise you will:

- Get two orderly 2D points and a 2D line
- To draw three lines from Point1 to Point2 and from Point1 to the two extremities of the line.
- Get two 3D points and draw a line between those points. All this on the same button.
- Display the selected points in a list
- Search for geometric elements calling the Selection.Search() method.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Macro to select elements

Recap Exercise



20 min

In this exercise, you will create a macro to select two points and create a line.

Instructor Notes:

Obfuscating and Converting Macros

You will learn to hide the source code of the macros and convert them into an encrypted format.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Obfuscate VBScript Macros (1/4)

CATIA V5 includes an infrastructure to obfuscate scripts based on the MS Script Encoder.

The main characteristic of this component are as follows:

- It lets V5 scripts interoperate with other scripts which have chosen the same obfuscation scheme.
- It is developed and marketed by Microsoft, so it is widely available and well known.
- The encoding algorithm is quite weak though. However, Microsoft says that the encoder is not as much a technical protection as a legal protection.

The Scripts can be encoded on Windows only. However, encoded scripts can be replayed on the UNIX and Windows.

Only VBScript scripts can be encoded. For other languages, there are other schemes Available (project passwords for VBA, ...)


For the obfuscation to be available, the MS Script encode must have been installed.

Instructor Notes:

Obfuscate VBScript Macros (2/4)

To obfuscate a Macro:

- ◆ Select the Tools->Macros->Macros menu item.
- ◆ In the macro panel, select the macro you want to obfuscate (for instance, Compare.catvbs) and click the "obfuscate..." button.



- ◆ In the obfuscate window, click the "Ok" button.
- ◆ A new "Compare.obfuscated.catvbs" macro is created.
- ◆ This macro can be replayed on Windows or UNIX without the MS Script Encoder installed.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Obfuscate VBScript Macros (3/4)

Here is the text for the "Compare.catvbs" macro before obfuscation:

```
Sub CATMain()
Set doc1 = CATIA.Documents.Item(1)
Set doc2 = CATIA.Documents.Item(1)
Set doc3 = CATIA.Documents.Item(2)
If doc1 Is doc2 Then
    MsgBox "doc1 == doc2"
End If
If doc1 Is doc3 Then
    MsgBox "Gasp"
End If
End Sub
```

Here is the text of the obfuscated macro:

```
#@~^CgEAAA==j!4~.;b:Hlxbvb@#&?nY,NG^8P',/b:qbc9Gm!:xO/ (D+h'8b@#&?nO,NW^+,'-ZzP&b
GW1E:xDdR&Yn:vFb@#&?+D~NKm&,x~ZzK&b fG^!:nxDdR&Ynhv
#@#&@#&@&(0,[Kmq,qkPNKmy~K4+U@#&d\dTAWX~J9Wm8~x',NKm+J@#&@Ax[P&W@#&@&
@#&@&(6PNG^8P(/,[Kmf,K4+x@#&@i\TAG6,J!CkwJ@#&@&2
NP&W@#&@&@#&@&Ax[Pj;(@#&@&n0IAAA==^#~@
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Obfuscate VBScript Macros (4/4)

Advanced Features

A special *****Start Encode**** tag can be placed in the script to tell the obfuscator to only Partially encode a script. This can be useful to leave a copyright notice unencrypted.

For instance:

before obfuscation:

```
' Copyright 2004 MyCompany. All rights reserved
***Start Encode**
Sub CATMain()
' My secret algorithm goes here
End Sub
```

Here is the text after obfuscation:

```
' Copyright 2004 MyCompany. All rights reserved
***Start Encode**
#@~^PQAAAA==@&@&?(P;bKtlbU'*)&vPtX~d□mD□OPmVoK.rY4:,oG+d~4+.@&3x9Pj;(@&txE
AAA==^#~@
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Multi-Product Support (1/2)

DS is now a multi-product company. However, until V5 R9 all the products were registered under the same keys in the Windows registry as far as the scripting was concerned. This made it impossible to develop solutions which relied on several V5 products glued together by scripting code. From the V5R9 scripting infrastructure changes this.

The root object (an instance of the VB Application class) used to be always registered under the name CATIA, a confusing name for DELMIA or DMU users. Since V5R9, when recording a script, the root object name has the same name as the application. For instance, if you record a script which creates a part in DELMIA, you will get:

```
Sub CATMain()  
  Set documents1 = DELMIA.Documents  
  Set partDocument1 = documents1.Add("Part")  
End Sub
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Multi-Product Support (2/2)

For compatibility with previously recorded scripts, and interoperability of scripts recorded in other DS products, the names "CATIA", "DELMIA" and "DMU" all refer to the root object (an instance of the VB Application class) and can be used in place of each other.

Out-process: Each of the main V5 applications which use scripting (CATIA, DELMIA, ENOVIA) now have a separate entry in the windows registry. The command:

DMU /RegServer

Will create an DMU.Application entry in the registry.

In the same way,

DELMIA /RegServer

will create a DELMIA.Application in the registry.

To instantiate a DMU and a DELMIA application from a CATIA VBScript, one would write:

```
Dim DMUApp
Set DMUApp = CreateObject ("DMU.Application")
Dim DELMIAApp
Set DELMIAApp = CreateObject ("DELMIA.Application")
```

Instructor Notes:

Registering CATIA and Type Libraries

A. When CATIA V5 is installed, it is registered in the “registry” of “Windows”, so that it is possible to use this instruction:

```
Set CATIA= CreateObject("CATIA.Application")
```

If you have several versions of CATIA and If you want to change of version, you can unregister CATIA in a command window typing :

```
> cnext /UnregServer
```

To register an other version, you can type:

```
> cnext /RegServer
```

These commands must be typed in a command window and in the folder: “.intel_a\code\bin” of the chosen CATIA version.

B. To register the corresponding CATIA Type Libraries, you must first run a macro. Then, you will be able to check in the “Project/References ” menu of Visual Basic (or VBA) that the location of the *.tlb files has changed.

Instructor Notes:

Converting a Macro to a Visual Basic Program

At first you need to start CATIA from your VB program.

A. If you don't want to use the type definitions (Like Macros)

a) Comment all the CATIA objects' types.2)

```
Dim myDocument 'as Document
```

B. If you want to use the type definitions (for completion)


a) Rename the variables to have better understanding names.

b) Give the right type for objects if necessary:

```
Dim myDocument as PartDocument
Instead of
Dim myDocument as AnyObject
```

a) If we have inheritance, we must create an intermediate variable to define the correct type for the "Inheritance branch" we choose.

```
Dim myPartDocument as PartDocument
Set myPartDocument = CATIA.ActiveDocument
Set myPart = myPartDocument.Part
Instead of
Set myPart = CATIA.ActiveDocument.Part
```



Because Part is a property of a PartDocument but not of a Document.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Converting a Visual Basic program to a CATIA Macro

A. Be Careful

From a Visual Basic program, you cannot reuse the graphical Forms. The user interface is reduced to MsgBox and InputBox panels. (ActiveX on Windows)

B. Don't care about the objects' type definitions

They are not used in macros and they are automatically commented at run time.

C. Review some Syntaxes

- a) Don't use # for constants. Replace 10# by 10.0
- b) Prefer the syntax with Call keyword for subroutines which use arguments:

```
Call mySubroutine(Arg1,Arg2)
```

- c) Use simply Next in stead of Next I for loops
- d) Don't use the type definitions in the arguments of your own subroutines.
- e) Don't use For each loop syntax on Basic Script (UNIX).



You can easily develop your program using Microsoft Visual Basic, then convert it into a CATIA macro when it is finished.

Instructor Notes:

Macros on UNIX / Windows

A. Windows Macros (VBScript) don't use the Object Types

The types are automatically commented at run time.

B. Visual Basic programs can use types

We can define the real type or an abstract type.

It depends on the kind of properties we want to access.

To access to myDocument.Part, we must define myDocument as PartDocument.

For example:

```
Dim myDocument as Document  
Or  
Dim myDocument as PartDocument
```

C. UNIX Macros (Basic Script) use types

These are not always the same types as those used in Visual Basic.

On UNIX, we must define the object type returned by the function or property used to assign the variable.

Example: "CATIA.ActiveDocument" returns a "Document". So we must type:

```
Dim myDocument as Document.  
Set myDocument = CATIA.ActiveDocument
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Calling an other Automation Server

You will learn to call other automation servers like 'MS – Word, Excel, PowerPoint' etc using your automation scripts.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Calling WSH from VBScript

In VBScript macros, you are not able to use file system functions such as open, close and print #n. To access file system functions on Windows, you can use WSH (Windows Scripting Host).

The Attached Macro "read.CATScript", read coordinates in the file "E:\Test.DAT" and create 3D points.

The service is created with the following code:

```
Set o = CreateObject("Scripting.FileSystemObject")
```

Then we can open a file using:

```
Set fil = o.GetFile("e:\test.dat")
```

The file is read using a TextStream:

```
Set ts = fil.OpenAsTextStream(1) ' (For Reading)
```

We can read each lines with:

```
ts.ReadLine
```

And close the stream with:

```
ts.Close
```



CATIA provides an object called FileSystem to be able to do the same on both UNIX and Windows Platforms.

Instructor Notes:

Calling Word

You can call Word from VBScript as well as from VBA or Visual Basic.

The best way to develop Word functions is to try it in Word itself. You will be able to use the Visual Basic Editor with its help ("F1"), completion, Object Browser and debugger.

You can also record macros to see what functions you have to use.

Here is a sample that opens a new document and writes "Hello Word!".

```
Dim Wr As Word.Application
On Error Resume Next
Set Wr = GetObject("Word.Application")
If Err <> 0 Then
    Set Wr = CreateObject("Word.Application")
    Wr.Visible = True
End If
Set d = Wr.Documents.Add (DocumentType:=wdNewBlankDocument)
d.Range.Text = "Hello Word!"
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Calling Excel

You can call Excel from VBScript as well as from VBA or Visual Basic.

The best way to develop Excel functions is to try it inside Excel. You will be able to use the Visual Basic Editor with its help ("F1"), completion, Object Browser and debugger.

You can also record macros to see which functions you have to use.

Here is a sample that opens a new sheet and writes "Hello" in the cell "B2".

```
Dim xl As Excel.Application
On Error Resume Next
Set xl = GetObject( "Excel.Application")
If Err <> 0 Then
    Set xl = CreateObject("Excel.Application")
    xl.Visible = True
End If
xl.Workbooks.Add           ' Add a new WorkBook
Range("B2").Select        ' Select the cell "B2"
ActiveCell.FormulaR1C1 = "Hello"
```

Copyright DASSAULT SYSTEMES

Instructor Notes:

Drawing a Chart in EXCEL

- To draw a chart in Excel, you have to create a chart using:
Charts.Add
 - Fill cells with values and associate them to the **chart** using:
ActiveChart.SetSourceData
 - Then position the chart in one sheet using:
ActiveChart.Location
- Then, you can modify the properties of the chart.

See the example `.\Student\Data\Lesson4\SampleTestWordExcel\Project1.vbp` for more details.

Instructor Notes:

To Sum Up

In this course you have seen:

- In-Process and Out-Process Macros.
- Recording / Creating of macros using various scripting languages like VB / VBA etc.
- Scripting various features like Sketches, Part Design Features, Surfaces, Drawings etc.
- Calling other automation servers.

Copyright DASSAULT SYSTEMES

Instructor Notes:

Master Exercise

Crankshaft



In this step you will practice:

- how to develop applications (Using Documentation)
- how to call the exposed objects of CATIA V5 (geometry, assembly, drafting, analysis)
- how to interface with other automation server (Word/Excel)

Instructor Notes:

Added Exercises

You will perform the following added exercises in this section:



195 min

- Decoding 3D Features
- Easy Chess
- InOut Bill of Material
- Insert Bolts
- Printing Drawing Sheets
- Test Tolerances

Instructor Notes:

Added Exercise

Decoding 3D Features



15 min

In this step you will :

- Create a VB project with a simple button.
- The program will scan all the documents present in CATIA and try to read all the entities present.
- Decoding all the entities could be a heavy program. So we will just decode the geometry created by the lesson2 (“Creating 3D features”) that is:
- Parts, bodies,pads, pockets, scketches, Lines2D,Circle2D,Spline2D and Point2D.
- The same thing can be extended to all the geometry exposed by CATIA to VBScript.
- You will test this program with PartToDecode.CATPart
- To Find a reference:
- When you have a Reference you can get the DisplayName. Then you can search for it using the Document.Selection.search() method.
- The result is put in the selection, and you can find it with FindObject().

Copyright DASSAULT SYSTEMES

Instructor Notes:

Added Exercise

Easy Chess



In this exercise you will learn :

- how to create an assembly referencing several times the pieces
- how to control the position of the assembly.
- how to call an external dynamic library.

Instructor Notes:

Added Exercise

InOut Bill of Material



30 min

In this exercise you will:

- Script from Excel
- Get CATIA Session
- Retrieve a CATProduct Document
- Scan the parts of the CATProduct and get their names
- Put the part names in the sheet
- After modifying the names in the Excel sheet, send the new part names to CATIA

Copyright DASSAULT SYSTEMES




Instructor Notes:

Added Exercise

Insert Bolts



This program in Visual Basic will retrieve the bolt and the plate.
Then it will search for all the holes in the plate and will put into each one bolt.



Copyright DASSAULT SYSTEMES

Instructor Notes:

Added Exercise

Printing Drawing Sheets



In this program, you will print Sheets of all the Drawings contained in a folder.

Instructor Notes:

Added Exercise



Test Tolerances



TestTolerances

- This exercise consist of creating 2 macros in the file Tolerances.CATPart
- The first will read all the tolerances values of the part and display them
- The second macro will modify all the tolerances to center them in the middle of the min and max values

- You will:
 - Read the tolerances of a PartDocument
 - Retrieve TestTolerances.CATPART and create a macro which read all the tolerances and values of the PartDocument. List the values in a message box.



Instructor Notes: